



2010 Drying Schedule

From	Thru	Charge/bu	Shrink %
15.10	15.50	0.00	0.00
15.60	16.00	0.02	0.70
16.10	16.50	0.04	1.40
16.60	17.00	0.06	2.10
17.10	17.50	0.08	2.80
17.60	18.00	0.10	3.50
18.10	18.50	0.12	4.20
18.60	19.00	0.14	4.90
19.10	19.50	0.16	5.60
19.60	20.00	0.18	6.30
20.10	20.50	0.20	7.00
20.60	21.00	0.22	7.70
21.10	21.50	0.24	8.40
21.60	22.00	0.26	9.10
22.10	22.50	0.28	9.80
22.60	23.00	0.30	10.50
23.10	23.50	0.33	11.20
23.60	24.00	0.36	11.90
24.10	24.50	0.39	12.60
24.60	25.00	0.42	13.30
25.10	25.50	0.45	14.00
25.60	26.00	0.48	14.70
26.10	26.50	0.51	15.40
26.60	27.00	0.54	16.10
27.10	27.50	0.57	16.80
27.60	28.00	0.60	17.50
28.10	28.50	0.63	18.20
28.60	29.00	0.66	18.90
29.10	29.50	0.69	19.60
29.60	30.00	0.72	20.30
30.10	30.50	0.75	21.00
30.60	31.00	0.78	21.70
31.10	31.50	0.81	22.40
31.60	32.00	0.84	23.10
32.10	32.50	0.87	23.80
32.60	33.00	0.90	24.50
33.10	33.50	0.93	25.20
33.60	34.00	0.96	25.90
34.10	34.50	0.99	26.60
34.60	35.00	1.02	27.30